# Mercedes-Benz CLK DTM 2000

60-4318

OWNER'S MANUAL — Please read before using this equipment.

### ! IMPORTANT!

If an icon appears at the end of a paragraph, go to the box on that page with the corresponding icon for pertinent information.




! — Important





⅓ — Note



Thank you for purchasing the RadioShack Mercedes-Benz CLK DTM 2000. It handles the road in style and will dazzle your friends with sonic speed! Built to 1/12 scale, it can reach speeds of up to 1,100 feet per minute.

Your vehicle is available in two frequencies (27 and 49 MHz) so you can race other radio-controlled vehicles. Check the box to see which frequency your's uses.

# FCC DECLARATION OF CONFORMITY

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Product:

Mercedes-Benz CLK

DTM 2000

Model:

60-4318

Responsible

Party:

Phone:

RadioShack

100 Throckmorton

Fort Worth, TX 76102

817-415-3200



#### ! IMPORTANT!

Important: The EPA COLO certified RBRC **Battery Recycling** Seal on the nickelcadmium (Ni-Cd) battery indicates RadioShack is voluntarily participating in an industry program to collect and recycle these batteries at the end of their useful life, when taken out of service in the United States or Canada. The RBRC program provides a convenient alternative to placing used Ni-Cd batteries into the trash or the municipal waste stream, which may be illegal in your area. Please call 1-800-THE-SHACK (1-800-843-7422) for information on Ni-Cd battery recycling and disposal bans/ restrictions in your area. RadioShack's involvement in this program is part of the company's commitment to preserving our environment and conserving our natural resources.

## **№ WARNING**

- Dispose of batteries promptly and properly; do not burn or bury them.
- Do not recharge nonrechargeable batteries.

## **\*\*** CAUTION **\*\***

- Use only fresh batteries of the required size and recommended type.
- Do not mix old and new batteries, different types of batteries (standard, alkaline, or rechargeable), or rechargeable batteries of different capacities
- If you do not plan to use the vehicle for several days, remove all the batteries from the transmitter and the vehicle. Batteries can leak chemicals that can destroy electronic parts.

## THE FCC WANTS YOUTO KNOW

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Consult your local RadioShack store or an experienced radio/TV technician for help.
- If you cannot eliminate the interference, the FCC requires that you stop using your Mercedes.

Changes or modifications not expressly approved by RadioShack may cause interference and void the user's authority to operate the equipment.

## INSTALLING BATTERIES


#### INTHE VEHICLE! A

Your vehicle uses 6 AA alkaline batteries or a 9.6V rechargeable battery pack (neither supplied, available at your local RadioShack store) for power.

Before you can use the battery pack, you must charge it using a special battery charger (not supplied, available at your local RadioShack store). Follow the charger's instructions to charge the battery pack.

You can install and use alkaline batteries while the battery pack is charging. !

1. Set ON/OFF on the bottom of the vehicle to OFF.



- 2. Use a coin to turn the battery compartment's latches in the direction of the arrows. Lift the cover to remove it.
- 3. If you are using the alkaline battery pack, use a coin to turn the two screws on the battery adapter cover counterclockwise, and remove the cover. Insert 6 AA batteries in the adapter according to the polarity symbols (+ and -) marked inside. Replace the cover and secure it with the screws.


Place the battery pack in the compartment with the wires in the slot on the side of the compartment. Attach the battery pack's white plastic connector to the vehicle's matching connector. Do not force them together. They fit only one way.

4. Replace the cover and secure the latches. If the vehicle runs slowly, not at all, or does not respond to the transmitter, recharge the rechargeable battery pack or replace the AA batteries.

## IN THE TRANSMITTER

The transmitter uses one 9V battery (not supplied). For the best performance and longest life, we recommend RadioShack alkaline batteries.

- Slide ON/OFF on the transmitter to OFF.
- 2. Slide the battery compartment cover in the direction of the arrow to remove the cover.



## MARNING A

If you use alkaline batteries to power the motor, they will get very hot. To avoid getting burned, wait a few minutes before you remove the batteries.

## $egin{array}{c} egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}$

- Using alkaline batteries slightly decreases speed.
- Do not charge or recharge the battery pack while it is in the vehicle.
- After you charge or recharge the battery pack, disconnect it from the charger.
   Overcharging the battery pack could damage it.
- When you disconnect the battery pack from the charger, do not pull on the connector's wires. You might damage the battery pack.

## ∜ HINT ∜

- Running your vehicle continuously for long periods generates high heat levels.
   Heat causes wear and tear on the motor. To help keep heat levels down, when your vehicle's battery pack dies, let the vehicle cool at least 10 minutes before installing a new or newly charged battery pack.
- If someone uses a CB nearby, it might interfere with control of the vehicle. If this happens, move the vehicle away from the CB.
- You cannot operate your vehicle near devices with transmitters that use the same frequency as your vehicle (27 MHz or 49 MHz). Check your vehicle's box to see which frequency your vehicle uses.



If the vehicle moves slowly and you just installed a fully charged battery pack, check the wheel mechanisms for lint, thread, hair, or dust.

## 🎇 CAUTION 🎇

If the vehicle gets stuck under an object, immediately release the control levers on the transmitter and retrieve it.



#### Wheel Alignment

If the vehicle does not drive in a straight line when you release the right control lever, adjust the wheel alignment control on the bottom of the vehicle. Turn the control toward L if the vehicle is pulling to the right or toward R if the vehicle is pulling to the left

## Care

Keep the vehicle dry; if it gets wet, wipe it dry immediately. Use and store the vehicle only in normal temperature environments. Handle the vehicle carefully; do not drop it. Keep the vehicle away from dust and dirt, and wipe it with a damp cloth occasionally to keep it looking new.


#### Service and Repair

If your vehicle is not performing as it should, take it to your local RadioShack store for assistance. Modifying or tampering with the vehicle's internal components can cause a malfunction and might invalidate its warranty and void your FCC authorization to operate it.

- 3. Snap the 9V battery in the compartment according to the polarity symbols (+ and -) marked inside. Replace the cover and snap it shut.
- 4. When your transmitter's range decreases, replace its battery.

## DRIVING THE MERCEDES

- 1. Set ON/OFF on the bottom of the vehicle to ON.
- 2. Set ON/OFF on the transmitter to ON. The transmitter's LED lights.
- 3. Use the transmitter's control levers to control the vehicle.



4. When you finish driving the vehicle, set ON/OFF to OFF. W

#### **Limited Ninety-Day Warranty**

This product is warranted by RadioShack against manufacturing defects in material and workmanship under normal use for ninely (90) days from the date of purchase from RadioShack company-owned stores and authorized RadioShack franchiseas and deals ors. EXCEPT AS PROVIDED HEREIN, RadioShack MAKES NO EXPRESS WARRANTIES AND ANY MPLIED WARRANTIES (90) days from the date of purchase from RadioShack company- owned stores and authorized RadioShack tranchisees and dealers. EXCEPT AS PROVIDED HEREIN, RadioShack MAKES NO EXPRESS WARRANTIES AND ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE DIRATION OF THE WINTER LIMITED WARRANTIES, CONTAINED HEREIN, EXCEPT AS PROVIDED HEREIN, RadioShack SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO CUSTOMER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS OR DAMAGE CAUSED INDECTLY BY INDIRECTLY BY USE OR PERFORMANCE OF THE PRODUCT OR ARISING OUT OF ANY BREACH OF THIS WARRANTY, INCLUDING, BUT NOT LIMITED TO, ANY DAMAGES RESULTING FROM INCONVENIENCE, LOSS OF TIME, CATA, PROPERTY, REVENUE, OR PROFIT OR ANY INDIRECT. SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, EVEN IF RadioShack HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Some states do not allow limitations or how long an implied warranty lasts or the exclusion or limitation of ricidental or consequential damages, so the above limitations or choices will at its option, unless otherwise provided by law (a) correct the defect by product repair without charge for parts and labor, (b) replace the product and the RadioShack sales receipt as proof of purchase price. All replaced parts and products and which are during the report of Purchase date to any RadioShack store. RadioShack will, at its topidur, unless otherwise provided by Jaw (a) correct the defect by product repair without charge for parts and labor, (b) replace the product with one of the same or similar design; or (c) refund the products are warranted for the remainder of the original warranty period. You will be charged for repair or replacement of the product made after the expiration of the warranty period. You will be charged for repair or replacement of the product made after the expiration of othe warranty period. You will be charged for repair or replaced parts and products are warranted for the remainder of